

# NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

(Established Under NIT Act ,Govt.of India)

DEPARTMENT OF CHEMICAL ENGINEERING


POST SRINIVASNAGAR, MANGALORE – 575 025 (D K)

Phone: (0824) 2474000

E- mail: info@nitk.ac.in

Fax: (0824) 2474033

Website: http://www.nitk.ac.in



## TENDER DOCUMENT

Tender Notification . No	: NITK / CH/ IRG-Furniture/ 2019-2020 /814	Date: 12.09.2019
Name of Goods	: Furnitures	
Estimated amount put to Tender. Rs.	: 1780000.00	
E M D Amount. Rs.	: 35600.00	
Time for Supply of item after release of Purchase order	: 30 Days	
Last Date for submission of tender	: 09.10.2019 Before 3.00 pm	
Address for Submission of Tender	: Dr. I Regupathi Associate Professor, Dept. of Chemical Engg., NITK, Surathkal,P.O. Srinivasnagar Mangalore -575 025.	
Date of opening of technical bid	: 11.10.2019 3.30pm (if possible)	



**NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL**

**Department of Chemical Engineering**

POST SRINIVASNAGAR, MANGALORE – 575 025

(Established Under NIT Act ,Govt.of India)

Phone: (0824) 247400  
E- mail: info@nitk.ac.in

Fax: (0824) 2474033  
Website: http://www.nitk.ac.in

**Tender Notificatin.No :** NITK / CH/ IRG-Furniture/ 2019-2020 /814

**Date:** 12.09.2019


**NOTICE INVITING TENDER (NIT)**

The National Institute of Technology Karnataka, Surathkal (in short – NITK, Surathkal) is an autonomous body under Ministry of HRD Govt of India , a Deemed University , imparting Technical Education and engaged in Research Activities. It is proposed to procure the items for the departmental academic/research activities.

Sealed Tenders are invited for the following items in **two cover system** (i.e., Technical bid and financial bid) subject to the following terms and conditions, from the reputed manufacturers or its authorised dealers so as to reach this office on or before scheduled date and time. The tender (Technical bid) will be opened on the same day if possible in the presence of bidders or their authorized agents who may choose to be present. The financial bid of only such bidders whose technical bid is accepted shall be opened on the same day or later pre-informed date.

1. Name of Goods : Furnitures
2. Estimated Cost :Rs : 1780000.00
3. E M D Rs : 35600.00
4. Time for completion of Supply after Placing Purchase Order : 30 Days
5. Last date at time for submission of Tender : 09.10.2019 Before 3.00 pm
6. Tender to be submitted at the following address : Dr. I Regupathi  
Associate Professor,  
Dept. of Chemical Engg.,  
NITK, Surathkal, P.O. Srinivasnagar  
Mangaore-575 025.
7. Place, Date and Time of opening of of technical bid : 11.10.2019 3.30pm (if possible)
- 8 VENUE : Board Room

Note : Institute shall not be responsible for any postal delay about non-receipt / non delivery of the bids or due to wrong addressee

  
[Signature of HOD With Seal]  
**HEAD OF THE DEPARTMENT**  
**CHEMICAL ENGINEERING**  
National Institute of Technology Karnataka, Surathkal  
575 025, D.K., Mangalore

**SECTION 1 :****INSTRUCTION TO BIDDER (ITB)**

1. The bid should be submitted in two cover system- Technical Bid and Financial Bid:

**1.1 Envelope No.1 – Technical Bid:** The agencies should give details of their technical soundness and provide list of customers of previous supply of similar items to Universities, Institutes or Government Departments/ Undertakings/ public sectors with contact details. The details of the agency / profile be furnished along with the copy of all related documents. This envelope should be sealed and duly as Super-scribed as “Envelope No. 1 – Technical Bid”. Full name and address of the agency should also be mentioned on envelope and should be addressed to The Director, NITK, Surathkal

**1.2. Documents to be submitted in the technical bid :**

- a) The agency should possess Licence certificate for manufacture /supply of the item.
- b) List of Owner/partners of the firm and their contact num
- c) The agency should possess Income tax PAN number.
- d) The agency should possess GST registration and TIN number.
- e) Catalogue of the Product with detailed product specifications.
- f) List Service Centres
- g) List of customers with contact details.
- h) The average annual turnover should not be less than 30% of the estimated cost put to tender for the job work. The copy of the Balance sheet, Profit & Loss A/c., Trade or Manufacturing A/c for the last 3 years should be enclosed
- i) Warranty Period Offered for the tendered item to be specified. If the Warranty period is not conforming with the schedule of requirements given in section 3 of the document, the bid is liable to be treated as non-responsive and rejected.
- j) EMD in original form valid for minimum six months, through DD / Bank Guarantee only drawn on any scheduled bank in favour of “Director NITK, Surathkal”, payable at Surathkal should be submitted. EMD shall bear no interest. Any bid not accompanying with EMD is liable to be treated as non- responsive and rejected.
- k) Contract form given in section 5 need to be submitted.

**The above documents should be furnished in the technical bid envelope.**

**Envelope No.2 – Financial bid :** The agencies should submit their financial bid as per the format given in Section 4 of the Notice Inviting Tender in this cover. The rate should be quoted both in words and figures. All the pages of the financial bid should be signed affixing the seal. All corrections and overwriting should be initialled. This envelope should be duly superscribed as “Envelope No. 2 – **Financial bid**”. Full name and address of the agency should also be mentioned on the envelope and should be addressed to The Director, NITK, Surathkal.

Both the Envelope No.1 and 2 should be kept in another separate envelope duly superscribed with the following details.

(i) Tender Notification Number (ii) " Tender for the supply of.....", (iii) Not to Open before (Date and Time)

Mention “Kind Attention :

Dr. Prasanna B.D.

0824-2474000 Extn 3042 and

Head of Department of Chemical Engg.

Submit at the address given in the Inviting Tender

3 The tender will be acceptable only from the manufacturers or its authorised supplier.

4. The Institute reserves the right to visit to the factory before or after issue of supply order to satisfy itself regarding quality of production . In case of any remarks /default noted, the EMD will be forfeited even if pre-qualified.

5. The Financial bid shall be in the format of Price Schedule given in Section 4. The Contract form as per format given in section 5 shall be submitted. Incomplete or conditional tender will be rejected

6. Details of item to be carried out, approximate quantity and the specifications are mentioned in Section 3” appended to this Notice Inviting Tender

7. The item to be used is strictly according to the specification and subject to test by the institute / concerned authorities. It must be delivered and installed in good working condition.
8. The Institute reserves the right to cancel or reduce the quantity included in the schedule of requirements at any time after acceptance of the tender with a notice. The Contractor/Supplier shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the work / supply in full but he did not derive in consequence of the foreclosure of the whole or part of the works.
9. Performance Security of 5 % of contract value in terms of Bank Guarantee by scheduled banks shall be given by the successful bidder for the total period of Warranty. Plus two months.  
If the Successful bidder fails to comply supply contract with in stipulated period, the performance security shall be forfeited
10. Release of EMD :The EMD shall be released after receipt of performance security from successful bidder.  
If the Successful bidder fails to furnish performance security and comply supply contract with in the stipulated period, the EMD shall be forfeited and claim for return of Emd shall be considered.
11. Validity of bids: The rate quoted should be valid for a minimum of 90 days No claim for escalation of rate will be considered after opening the Tender.
12. Imports : In case, Goods are to be Imported, the Indian agent should furnish authorisation certificate by the principles abroad for submission of the bid in response to this Notice Inviting Tender.
13. Clarification of Tender Document:  
A prospective bidder requiring any clarification of the Tender Document may communicate to the contact person given in this notice inviting tender. The contact person will respond to any request for clarification for the Tender Document received not later than 5 working days prior to the last date for the receipt of bids
14. Amendment of Tender document: At any time prior to the last date for receipt of bids, Institute may or any reason, whether at its own initiative or in response to a clarification requested by prospective bidder, modify the Tender document by an amendment.
15. Institute may at its own discretion extend the last date for the receipt of bids
16. The bids shall be written in English language and any information printed in other language shall be accompanied by an English translation, in which case for the purpose of interpretation of the bid , the English translation shall govern.
17. The Institute reserves the right of accepting any bid other than the lowest or even rejecting all the bids.  
The decision of the Institute Purchase Committee is final in all matters of tender and purchase.
18. The bidder should give the following declaration while submitting the tender
19. Any other details required may be obtained from the contact person given in the notice inviting tender during the office hours.

### **DECLARATION**

I / we have not tampered / modified the tender forms in any manner. In case , if the same is found to be tampered / modified, I / we understand that my / our tender will be summarily rejected and full Earnest money deposit will be forfeited and I / we am / are liable to be banned from doing business with NITK, Surathkal and / or prosecuted.

Signature of the Bidder :

Name and Designation :

Business Address :

Place :

Date :

Seal of the Bidder's Firm

## SECTION :2 : CONDITIONS OF CONTRACT

1. The rates should be quoted for preferably FOR destination from supply within India.
2. In case of import both CIF and/ or FOB rate should be quoted . All components of expenditure to arrive at Bangalore need to be explicitly specified.
3. The bidder shall indicate the excise duty exemption for the goods if applicable.
4. The institute is eligible for customs duty exemption, excise duty exemption, issuance of form D
5. The rate quoted should be on unit basis. Taxes and other charges should be quoted separately, considering exemptions if any.
6. Rate quoted should be inclusive of Testing, commissioning and Installation of equipment and Training.
7. Payment: No advance payment will be made. Payment will be made only after the supply of the item in good and satisfactory condition and receipt of performance security by supplier. In case of Imports, the payment will be made through LC / Sight Draft / After Installation, and performance security need to be submitted at the time of LC commitment / issue of sight draft.
8. Guarantee and Warrantee period should be specified for the complete period conforming to the section of this tender document.
9. Period requirement for the supply and installation of item should be specified conforming to the section 3 of this tender document.
10. In case of dispute, the matter will be subject to Mangalore Jurisdiction only.

**SECTION 3 : SCHEDULE OF REQUIREMENTS, SPECIFICATIONS AND ALLIED DETAILS**

[ To be filled up by the Department / Center of NITK, Surathkal ]

Item(s) Name to be Procured	:	Furnitures
Type (Equipment / Software / Furniture / Others)	:	FURNITURES & FIXURES
Brief Specifications of the Item(s) (Attach Additional Sheet if necessary)	:	Attached
Quantity	:	1
Any other details / requirement	:	The rate quoted shall be valid for six months for placing future requirement under repeat order
Warranty Period required	:	5 years
Delivery Schedule expected after release of Purchase order	:	30 Days
EMD (in Rupees) Rs	:	35600.00
Performance Security to be given by Successful Bidder after release of Purchase Order (in Rupees)	:	

## SECTION 4 : PRICE SCHEDULE

[ To be used by the bidder for submission of the bid ]

1 Item Name

Specifications

2 (Conforming to Section 3 of

Tender document- Enclose additional sheets if necessary)

3 Currency and Unit Price

4 Quantity

5 Item Cost (Sl No. 3 \* Sl. No. 4 )

(If item is imported then foreign currency should be quoted)

6 Taxes and Other Charges

(i) Specify the type of taxes and duties in percentages and also in figures.

(ii) Specify Other Charges in figures.

7 Warranty Period

(Conforming to the Section 3 of Tender document- This should be mentioned in technical bid also in order to get qualified for financial bid)

8 Delivery Schedule

(Conforming to the Section 3 of Tender document

9 Name and address of the Firm for placing purchase order

10 Name and address of Indian authorized agent ( in case of imports only)

AMC rate for after warranty period

Signature of the Bidder :

Name and Designation :

Business Address :

Place :

Date :

**Seal of the Bidder's Firm**

**SECTION 5 : CONTRACT FORM**

[ To be provided by the bidder in the business letter head]

- 1 (Name of the Supplier's Firm) hereby abide to deliver the by the delivery schedule mentioned in the section 3 tender document for supply of the items if the purchase order is awarded.
- 2 The item will be supplied conforming to the specifications stated in the tender document without any defect and deviations.
- 3 Warranty will be given for the period mentioned in the tender document and service will be rendered to the satisfaction of NITK, Surathkal during this period.

Signature of the Bidder :

Name and Designation :

Business Address :

Place :

Date :

Seal of the Bidder's Firm



## I. EST / CHEMICAL ENGINEERING LAB FURNITURE SPECIFICATIONS

Sl. No	Description	Dimension (mm)	Quantity
1	Island Table	2400L X 1500W X 900H	3
2	Wall Storage Cupboard	1000L X 300W X 600H	6
3	“U” Shape Wall Table	(4240 + 4200 + 5900) L X 900 W X 900H	1
4	“L” Shape Wall Table	(5000 + 6000) L X 900W X 900H	1

### 1. ISLAND TABLE

DIMENSION : 2400L X 1500W X 900H IN mm

MATERIAL OF CONSTRUCTION

A) CARCASS : The cabinet construction to be of chemically inert flame proof **WPC** (Wood Plastic Composite) panel. The panel to be of thickness 17mm. The edges to be scaled with 0.8mm PVC Edge tape.

B) SHUTTERS : The shutters and drawers' fronts should have chemical resistant **PVC THERMO FOIL** face **E1/E2** grade core material the urethane acrylic coating on top of thermo foil is resistant to deformation and scratches PVC.

UNDER BENCH MODULAR : It consists of **Continuous** modular with top Drawer and bottom cupboard. Bottom cupboard will have one no. of Inner horizontal partition. All the drawers should have locking arrangements.

REAGENT RACK : **3** No.'s of reagent rack to be provided.

ELECTRICAL ARRANGEMENTS : 6 No,'s of 15/5 Amps 3 pin electrical socket cum switch with Electrical panel to be provided

TOP : **18mm(+1mm)** thick **BLACK GRANITE** to be provided.

COLOUR : **Blue**

## 2. WALL STORAGE CUPBOARD

DIMENSION	:	1000L X 300W X 600H in mm
MATERIAL OF CONSTRUCTION		
A) CARCASS	:	The cabinet construction to be of chemically inert flame proof <b>WPC</b> (Wood Plastic Composite) panel. The panel to be of thickness 17mm. The edges to be scaled with 0.8mm PVC Edge tape.
B) SHUTTERS	:	The shutters and drawers fronts should have chemical resistant <b>PVC THERMO FOIL</b> face <b>E1/E2</b> grade core material the urethane acrylic coating on top of thermo foil is resistant to deformation and scratches PVC. It should have front glass door and adjustable shelf to be provided. The unit may be fixed on the wall through the eye-let holes.

## 3. "U" SHAPE WALL TABLE

DIMENSION	:	(4240+ 4200+ 5900)L X 900W X 900H in mm
MATERIAL OF CONSTRUCTION		
A) CARCASS	:	The cabinet construction to be of chemically inert flame proof <b>WPC</b> (Wood Plastic Composite) panel. The panel to be of thickness 17mm. The edges should be scaled with 0.8mm PVC Edge tape.
B) SHUTTERS	:	The shutters and drawers fronts should have chemical resistant <b>PVC</b>

**THERMO FOIL** face **E1/E2** grade core material the urethane acrylic coating on top of thermo foil is resistant to deformation and scratches PVC.

- UNDER BENCH MODULAR : It consists of **Continuous** modular with top Drawer and bottom cupboard. Bottom cupboard should have one no. Inner horizontal partition. All the drawers should have locking arrangements.
- ELECTRICAL ARRANGEMENTS : 14 No.'s of 15/5 amps, 3 pin socket cum switch with electrical panel should be provided.
- AMINITIES : 1 No. of P.P. SINK (560 X 335) mm with 3-water tap should be provided.
- TOP : **18mm(+1mm)** thick **BLACK GRANITE TOP** to be provided.
- COLOUR : **Blue**

#### 4. "L" SHAPE WALL TABLE

- DIMENSION : (5000+6000)L X 900W X 900H in mm
- MATERIAL OF CONSTRUCTION
- A) CARCASS : The cabinet construction should be of chemically inert flame proof **WPC** (Wood Plastic Composite) panel. The panel will be of thickness 17mm. The edges to be scaled with 0.8mm PVC Edge tape.
- B) SHUTTERS : The shutters and drawers fronts should have chemical resistant **PVC THERMO FOIL** face **E1/E2** grade core material the urethane acrylic coating

		on top of thermo foil is resistant to deformation and scratches PVC.
UNDER BENCH MODULAR	:	It consists of <b>Continuous</b> modular with top Drawer and bottom cupboard. Bottom cupboard should have one no. Inner horizontal partition. All the drawers should have locking arrangements.
ELECTRICAL ARRANGEMENTS	:	8 No.'s of 15/5 amps, 3 pin sockets cum switch with electrical panel should be provided.
AMINITIES	:	1 No. of P.P. SINK (560 X 335) mm with 3-water tap should be provided.
TOP	:	<b>(18mm±1mm)</b> thick well-polished <b>BLACK GRANITE</b> to be provided.
Colour	:	<b>Blue</b>

# EST/ CHEMICAL LAB


# VIEW SHOWING THE FURNITURE ARRANGEMENTS

**1. ISLAND TABLE :-**  
 SIZE : 2400L X 1500W X 900H IN mm  
 QTY : 3 Nos.

**2. WALL STORAGE CUPBOARD :-**  
 SIZE : 1000L X 300W X 600H IN mm  
 QTY : 6 Nos.

**3. "U" SHAPE WALL TABLE :-**  
 SIZE : (4240+4200+5900)L X 900W X 900H IN mm  
 QTY : 1 No.

**4. "L" SHAPE WALL TABLE :-**  
 SIZE : (5000+6000)L X 900W X 900H IN mm  
 QTY : 1 No.



**WORK TOP :-**  
 18mm (±1mm) THICK  
 BLACK GRANITE

**MATERIAL OF CONSTRUCTION:**  
 THE CABINET CONSTRUCTION WILL BE OF CHEMICALLY INERT FLAME PROOF WPC WOOD PLASTIC COMPOSITE PANEL. THE PANEL WILL BE OF THICKNESS 17mm. THE EDGES WILL BE SEALED WITH 0.8mm PVC EDGE TAPE.  
 THE SHUTTERS AND DRAWERS FRONTS WILL HAVE CHEMICAL RESISTANT PVC THERMO FOIL FACE LAYER GRADE CORE MATERIAL. THE URETHANE ACRYLIC COATING ON TOP OF THERMO FOIL IS RESISTANT TO DEFORMATION AND SCRATCHES.

## II. IBT LAB FURNITURE SPECIFICATIONS

Sl. No	Description	Dimension (mm)	Quantity
1	Island Table	2400L X 1500W X 900H	2
2	Wall Storage Cupboard	880L X 300W X 600H	14
3	"U" Shape Wall Table	(6230 + 7000 + 6230) L X 900 W X 900H	1
4	Lab Stool S.S Top	*****	10

### 1. ISLAND TABLE

DIMENSION : 2400L X 1500W X 900H IN mm

MATERIAL OF CONSTRUCTION

C) CARCASS : The Cabinet construction to be of chemically inert flame proof **WPC** (Wood Plastic Composite) panel. The panel to be of thickness 17mm. The edges to be scaled with 0.8mm PVC Edge tape.

D) SHUTTERS : The shutters and drawers fronts should have chemical resistant **PVC THERMO FOIL** face **E1/E2** grade core material the urethane acrylic coating on top of thermo foil is resistant to deformation and scratches PVC.

UNDER BENCH MODULAR : It consists of **Continuous** modular with top Drawer and bottom cupboard. Bottom cupboard should have one no. Inner horizontal partition. All the drawers should have locking arrangements.

REAGENT RACK : 3 No.'s of Reagent Rack to be provided.

ELECTRICAL ARRANGEMENTS : 6 No's of 15/5 Amps 3 pin electrical socket cum switch with Electrical panel to be provided

TOP : **18mm(+1mm)** thick **BLACK GRANITE** to be provided.

COLOUR : **Blue**

### 2. WALL STORAGE CUPBOARD

DIMENSION : 880L X 300W X 600H IN mm

MATERIAL OF CONSTRUCTION : The cabinet construction to be of chemically inert flame proof **WPC** (Wood Plastic Composite) panel. The panel to be of thickness

17mm. The edges to be scaled with 0.8mm PVC  
D) SHUTTERS : Edge tape.  
The shutters and drawers fronts should have chemical resistant **PVC THERMO FOIL** face **E1/E2** grade core material the urethane acrylic coating on top of thermo foil is resistant to deformation and scratches PVC.  
It should have front glass door and adjustable shelf to be provided. The unit may be fixed on the wall through the eye-let holes.

### 3. "U" SHAPE WALL TABLE

DIMENSION : (6230+ 7000+ 6230)L X 900W X 900H  
IN mm

MATERIAL OF CONSTRUCTION  
C) CARCASS : The Cabinet construction to be of chemically inert flame proof **WPC** (Wood Plastic Composite) panel. The panel to be of thickness 17mm. The edges to be scaled with 0.8mm PVC Edge tape.

D) SHUTTERS : The shutters and drawers fronts should have chemical resistant **PVC THERMO FOIL** face **E1/E2** grade core material the urethane acrylic coating on top of thermo foil is resistant to deformation and scratches PVC.

UNDER BENCH MODULAR : It consists of **Continuous** modular with top Drawer and bottom cupboard. Bottom cupboard should have one no. Inner horizontal partition. All the drawers should have locking arrangements.

ELECTRICAL ARRANGEMENTS	:	16 No.'s of 15/5 amps, 3 pin sockets cum switch with electrical panel to be provided.
AMINITIES	:	2 No. of P.P. SINK (560 X 335) mm with 3-water tap to be provided.
TOP	:	<b>18mm(+1mm)</b> thick BLACK GRANITE TOP to be provided.
COLOUR	:	<b>Blue</b>

#### 4. LAB STOOL (S.S TOP)

- The frame structure of the stool made out of heavy guage M.S round pipe and finished in Blue colour epoxy polyester power coat backed at 180<sup>o</sup>c.
- The top of the stool will be S.S TOP.



# VIEW SHOWING THE FURNITURE ARRANGEMENTS IN BIO TECHNOLOGY

## 1. ISLAND TABLE :-

SIZE : 2400L X 1500W X 900H IN mm  
QTY : 2 Nos.

## 2. WALL STORAGE CUPBOARD :-


SIZE : 880L X 300W X 600H IN mm  
QTY : 14 Nos.

## 3. "U" SHAPE WALL TABLE :-

SIZE : (6230+7000+6230)L X 900W X 900H IN mm  
QTY : 1 No.

## 4. LAB STOOL S.S. TOP :-

QTY : 10 Nos.



WORK TOP :-  
18mm (±1mm) THICK  
BLACK GRANITE

**MATERIAL OF CONSTRUCTION:**  
**CABINETS:**  
 THE CABINET CONSTRUCTION WILL BE OF CHEMICALLY INERT FLAME PROOF WPC WOOD PLASTIC COMPOSITE PANEL. THE PANEL WILL BE OF THICKNESS 17mm. THE EDGES WILL BE SEALED WITH 3.5mm PVC EDGE TAPE.  
**SHUTTERS:**  
 THE SHUTTERS AND DRAWERS FRONTS WILL HAVE CHEMICAL RESISTANT PVC THERMO FOIL FACE SHEET GRADE CORE MATERIAL. THE URETHANE ACRYLIC COATING ON TOP OF THERMO FOIL IS RESISTANT TO DEFORMATION AND SCRATCHES.